


FPIS2500




Original Instructions - MNL_FPIS2500_V3-130423



WARNING: Read the instructions before using the shredder.



The controls



For more information on how to use your product, consult the « product function » section

Check that you have noted all the following instructions.



- Become familiar with the owner's manual before attempting to operate this equipment.
- Do not allow children to operate this equipment.
- Do not operate this shredder in the vicinity of bystanders or animals.
- Wear ear protection and safety glasses at all times while operating the machine.
- Wear appropriate protective clothing such as protective gloves, firm footwear and long trousers. Avoid wearing clothing that is loose fitting or that has hanging cords or ties.
- Only operate the machine in open space (e.g. not close to a wall or other fixed object) and on a firm, level surface.
- Do not operate the machine on a paved or gravel surface where ejected material could cause damage.




- Before starting the machine, check that all screws, nuts, bolts, and other fasteners are properly secured and that guards and screens are in place. Replace damaged or unreadable labels.
- Only use replacement parts and accessories supplied and recommended by the manufacturer. Using third-party parts will immediately invalidate the guarantee.
- Do not leave the shredder working unattended and keep it in a dry place out of children's reach.



IMPORTANT: For your safety, please carefully read the safety warning p.23.


Starting and stopping

- > Press the green button "I" to switch the shredder on.




- > Press the red button "O" to switch the shredder off.

- > If the machine is clogged during shredding, the overload protection will cut the mains supply automatically to protect your shredder. Wait at least 1 minute before restarting by first pressing the reset button and then the ON/OFF switch.



Safety interlock

- > The safety interlock feature requires the hopper to be correctly fitted before operation.



Shredding material

- > Feed longer branches into the shredder by hand, ensuring that you keep your fingers clear of the cutters. Feed shorter branches into the shredder using a push stick.



Safety warnings

1. General safety instructions

> Read all instructions, Failure to follow all instructions listed below may result in electric shock, fire and /or serious injury.

> Save these instructions

2. Work area

> Keep the work area clean and well lit. Cluttered and dark areas invite accidents.

> Do not operate the machine in explosive atmospheres, such as in the presence of flammable liquids, gases or dust.

> Keep children and bystanders away while operating the machine. Distractions can cause you to lose control.

3. Electrical Safety

> The plugs must match the outlet. Never modify the plug in any way. Do not use any adapter plugs with earthed (grounded) power tools. Unmodified plugs and matching outlets will reduce risk of electric shock.

> Avoid body contact with earthed or grounded surfaces such as pipes, radiators. There is an increased risk of electric shock if your body is earthed or grounded.

> Do not expose the machine to rain or wet conditions. Water entering will increase the risk of electric shock.

> Do not abuse the cord. Never use the cord for carrying, pulling or unplugging the power tools. Keep the cord away from heat, oil and sharp edges or moving parts. Damaged or entangled cords increase the risk of electric shock.

> When operating the machine outdoors, use an extension cord suitable for outdoor use. Use of a cord suitable for outdoor use reduces the risk of electric shock.

> If operating a power tool in a damp location is unavoidable, use a residual current device (RCD) protected supply. Use of an RCD reduces the risk of electric shock.

Safety warnings

4. Personal Safety

> Stay alert. Watch what you are doing and use common sense when operating the machine. Do not operate tool when you are tired or under the influence of drugs, alcohol or medication. A moment of inattention while operating the machine may result in serious personal injury.

> Use safety equipment. Always wear eye protection. Safety equipment such as dust mask, non-skid safety shoes, hard hat, or hearing protection used for appropriate conditions will reduce personal injuries.

> Avoid accidental starting. Ensure the switch is in the off position before plugging in. Carrying the machine with your finger on the switch or plugging in it with the switch on invites accidents.

> Remove any adjusting key or wrench before turning the machine on. A wrench or a key left attached to a rotating part of the power tool may result in personal injury.

> Do not overreach. Keep proper footing and balance at all times. This enables better control of the machine in unexpected situations.

> Dress properly. Do not wear loose clothing or jewellery. Keep your hair, clothing and gloves away from moving parts. Loose clothes, jewellery or long hair can be caught in moving parts.

> If devices are provided for the connection of dust extraction and collection facilities, ensure these are connected and properly used. Use of these devices can reduce dust related hazards.

> Children should be supervised to ensure that they do not play with the appliance

5. Use And Care

> Do not force the tool. Use the correct tool for your application. The correct tools will do the job better and safer at the rate for which it was designed.

> Do not use the machine if the switch does not turn it on and off. Any machine that cannot be controlled with the switch is dangerous and must

Safety warnings

be repaired.

> Disconnect the plug from the power source before making any adjustments, changing accessories, or storing. Such preventive safety measures reduce the risk of starting the machine accidentally.

> Store the machine out of the reach of children and do not allow persons unfamiliar with the machine or these instructions to operate it. These tools are dangerous in the hands of untrained users.

> Maintain the machine. Check for misalignment or binding of moving parts, breakage of parts and any other condition that may affect the machine's operation. If damaged, have the machine repaired before use. Many accidents are caused by poorly maintained machine.

> Keep cutting tools sharp and clean. Properly maintained cutting tools with sharp cutting edges are less likely to bind and are easier to control.

> Use the machine, accessories and tool bits etc., in accordance with these instructions and in the manner intended for particular type of machine, taking into account the working conditions and work to be performed. Use of the machine for operations different from intended could result in a hazardous situation.

6. Service

> Have your tool serviced by a qualified repair person using only identical replacement parts. This will ensure that the safety of the machine is maintained.

Additional Safety Rules For Shredder

> Wear gloves while operating the machine.

> Ensure that the lighting is adequate.

> Do not let anyone under 18 years operate the tools.

> Rags, clothes, cord, string and the like should never be left around the work area.

Safety warnings

> Support the work properly.

> Periodically check that all nuts, bolts and other fixings are properly tightened.

> Machine should be operated on firm level surfaces only.

> Motor should be kept clean of debris and other accumulations.

> Keep all guards and deflectors in good working condition.

> Stand clear of discharge chute at all times. Do not over reach and keep face and body away from the feed

> opening. Never pull the machine by the power cord and keep cord away from water or sharp edges.

> Ensure your mains supply voltage is the same as your tool rating plate voltage. If in doubt, do not plug in the tool. Using a power source with a voltage less than the name plate rating is harmful to the motor.

> The tool must be used only for its prescribed purpose. Any use other than those mentioned in this Manual will be considered a case of misuse. The user and not the manufacturer shall be liable for any damage or injury resulting from such cases of misuse.

> To use this tool properly, you must observe the safety regulations, the assembly instructions and the operating instructions to be found in this Manual. All persons who use and service the machine have to be acquainted with this Manual and must be informed about its potential hazards.

> Children must not use this tool. Children should be supervised at all times if they are in the area in which the tool is being used.

> It is also imperative that you observe the accident prevention regulations in force in your area. The same applies for general rules of occupational health and safety.

Safety warnings

- > The manufacturer shall not be liable for any changes made to the tool nor for any damage resulting from such changes. Even when the tool is used as prescribed it is not possible to eliminate all residual risk factors.
- > The following hazards may arise in connection with the tool's construction and design:
 - Damage to the lungs if an effective dust mask is not worn.
 - Damage to hearing if effective ear defenders are not worn.
- > We recommend that the appliance should be supplied via a residual current device(RCD) with a tripping current of not more than 30mA.
- > This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. If the supply cord of this power tool is damaged, it must be replaced by a specially prepared cord available through the service organization. Warning! The equipment intended for use only in premises having a service current capacity equal to or greater than 100A per phase.

Preparation

- > Only operate the machine in open space (e.g. not close to a wall or other fixed object) and on a firm, level surface;
- > Do not operate the machine on a paved or gravel surface where ejected material could cause injury;
- > Do not operate the machine when you are fatigued under the influence of drugs, alcohol or medication. Before starting the machine, check that all screws, nuts, bolts, and other fasteners are properly secured and that guards and screens are in place. Replace damaged or unreadable labels

Operation

- > Before starting the machine, look into the feeding chamber to make certain that it is empty;
- > Keep your face and body away from the feed intake opening;

Safety warnings

- > Keep proper balance and footing at all times. Do not overreach. Never stand at a higher level than the base of the machine when feeding material into it;
- > Always stand clear of the discharge zone when operating this machine;
- > When feeding material into the machine be extremely careful that pieces of metal, rocks, bottles, cans or other foreign objects are not included;
- > If the cutting mechanism strikes any foreign objects or if the machine should start making any unusual noise or vibration, shut off the power source and allow the machine to stop. Disconnect the spark plug wire from the spark plug (electric unit disconnect from supply) and take the following steps:
 - Inspect for damage;
 - Check for and tighten any loose parts;
 - Have any damaged parts replaced or repaired with parts having equivalent specifications.
- > Do not allow processed material to build up in the discharge zone; this may prevent proper discharge and can result in kickback of material through the feed intake opening;
- > Do not tamper with the power source governor settings; the governor controls the safe maximum operating speed and protects the power source and all moving parts from damage caused by over-speed. Seek authorized service if a problem exists;
- > Do not transport this machine while the power source is running;
- > Do not tilt the Machine while the power source is running.
- > Do not allow hands or any other parts of the body or clothing inside the feeding chamber, discharge chute, or near any moving part.
- > If the machine becomes clogged, shut-off the power source and disconnect the spark plug wire (electric unit disconnect from supply) before clearing debris. Keep the power source clear of debris and other accumulations to prevent damage to the power source or possible fire. Remember that

Safety warnings

operating the starting mechanism on engine powered machines will still cause the cutting means to move.

> Shut off the power source and disconnect the spark plug lead (electric unit disconnect from supply) whenever you leave the work area.

Maintenance and storage

> When the machine is stopped for servicing, inspection, or storage, or to change an accessory, shut off the power source, disconnect the spark plug wire from the spark plug (electric unit disconnect from supply), make sure that all moving parts have come to a complete stop and, where a key is fitted remove the key. Allow the machine to cool before making any inspections, adjustments, etc.

> When serving the cutting means be aware that, even though the power source will not start due to the interlock feature of the guard the cutting means can still be moved by a manual starting mechanism.

In more detail...

Symbols

< The rating plate on your tool may show symbols. These represent important information about the product or instructions on its use.



This symbol is known as the 'Crossed-out Wheellie Bin Symbol'. When this symbol is marked on a product or battery, it means that it should not be disposed of with your general household waste. Some chemicals contained within electrical/electronic products or batteries can be harmful to health and the environment.

Only dispose of electrical/electronic/battery items in separate collection schemes, which cater for the recovery and recycling of materials contained within. Your co-operation is vital to ensure the success of these schemes and for the protection of the environment.



Denotes risk of personal injury, loss of life, or damage to the tool in case of non-observance



Use eye protection
Use ear protection



Conforms to all relevant European directives



Wear sturdy, non-slip footwear



Read the user manual



Use protective gloves

In more detail...

Symbols



Do not expose to rain



Remove the plug from the mains immediately if cable is damaged or cut



Danger of being hit by thrown objects, keep bystanders away



Danger - Rotating blades. Keep hands and feet out of openings while machine is running



Denotes risk of electric shock



Remove plug from mains before cleaning or maintenance



Guaranteed sound power level

yyWxx Manufacturing date code; year of manufacturing (20yy)
and week of manufacturing (Wxx)

Guarantee

1. This product has been manufactured to a high quality standard. It is guaranteed against faulty materials and workmanship for 12 months from purchase, please retain your till receipt as proof of purchase.
2. If the product is found to be defective within the relevant time period, we will either replace all defective parts or, at our discretion, replace the unit free of charge with the same item or items of a greater value and/or specification.
3. This guarantee does not cover defects caused by or resulting from:
 - a) misuse, abuse or neglect;
 - b) trade, professional or hire use;
 - c) repairs attempted by anyone other than our authorized repair centre (call 0845 300 2577) ; or
 - d) damage caused by foreign objects, substances or accident.
4. In the unlikely event that this product does develop a fault please call the helpline on 0845 300 2577.
5. This guarantee does not affect your statutory rights. B&Q plc. Chandlers Ford, Hants, SO53 3LE (Registered in England under no. 973387)

EC declaration of conformity

We
B & Q Plc
CHANDLERS FORD, HANTS,
SO53 3LE

Declare that the product
Electric impact shredder FPIS2500
Serial number: from 000001 to 999999

Complies with the essential health and safety requirements
of the following directives:

The Machinery Directive 2006/42/EC
The Low Voltage Directive 2006/95/EC

- EN60335-1/A14:2010
- EN13683/A2:2011
- EN 62233:2008

The EMC Directive 2004/108/EC

- EN55014-1/A1:2009
- EN55014-2/A2:2008
- EN 61000-3-2/A2:2009
- EN 61000-3-11:2000

The Outdoor Noise Directive 2000/14/EC & 2005/88/EC

- Measured Sound Power Level: 105.5 dB(A)
- Guaranteed Sound Power Level: 108 dB(A)
- The conformity assessment followed was according to Annex V of the directive
- Notified body: SNCH, LUXEMBOURG, 0499

The RoHS directive 2011/65/EU
Authorized Signatory and technical file holder



Name: Peter Brownhill
QA Product Development Manager
For and on behalf of B&Q plc
Date: 23/04/2013

B&Q PLC.
CHANDLERS FORD,
HANTS, SO53 3LE, UNITED KINGDOM
www.diy.com

All technical information is held at the address detailed above